

Maharashtra University of Health Sciences, Nashik.
Inspection Committee Report for Academic Year 2025-2026
Clinical Material in Hospital

Faculty - Nursing

Name of College - Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist- Sangli.

Hospital Details

Sr. No.	Particularstobeverified	Adequate /Inadequate
1	The Institute/College shall execute a MOU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) Parent Hospital 100 Bedded Affiliated 6 Hospital each more than 50 bedded	Parent - 100 Affiliated - 250 Total - 350 Adequate
a.	Whether Hospitals registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Yes
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) 1 : 3	Adequate
c.	Average Bed Occupancy in% :(Minimum 75%)	85% Adequate
d.	Clinical facilities for PG to be verified: (As per MSR)	NA
	(i) Whether OPD is functioning to be verified	i) Yes
	(ii) Total No of OPD (on the day of inspection)	ii)
	(iii) Average Number of patients attending OPD (current year)	iii) 33169
	(iv) Average Number of Delivery (Current year)	iv) 2610
	(v) Average Number of abnormal Delivery (Current year)	v) 1407
	<ul style="list-style-type: none"> As per Central Council Norms/University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate"& do not attach any documents. it should be available on college website In case of "Inadequate", it must be mark as "Inadequate" with evidence. To be submit to university with report. 	

Here by I declare all relevant document uploaded are clear and visible on website & are true as per my best knowledge.

Any Other, Please Specify:-

Date: - 30/01/2025


Principal
Kamal Institute of Nursing Education, Jath, Dist-Sangli

महाराष्ट्र



शासन

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले
(सुधारित आवृत्ती २००५) क्रमांक No. 1105

रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

CERTIFICATE

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये श्री./श्रीमती डॉ. उमाजीशंख सनमडीकर
मेडिकल फौंडेशन अंतर्गत यांचे कमळ ऑर्थोपेडीक सेन्टर
खालील पत्त्यावर निगडी कार्मर, जत
नर्सिंग होम/मॅटीर्निटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati _____
has been registered under the _____
Bombay Nursing Homes Registration Act, 1949 in respect of _____
situated at _____
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. JO1 प्रसुतीसाठी — कॉट्स
Registration No. Maternity Cots

रजिस्ट्रेशन दिनांक इतर रुग्णांसाठी 100 कॉट्स
Date of Registration Other Nursing Patients Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च 2026 पर्यंत कार्यवाहीत राहील.
The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- 01/04/2023



जिल्हा शल्य चिकित्सक, सांगली
Dr. Sanjay B. Salunkhe
Local Supervisory Authority, Sangli.

Reg No. 58630

Civil Surgeon, P.V.P.G.H., Sangli.

महाराष्ट्र



शासन

सन १९४९ च्या दि बाँम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्टच्या कलम ५ अन्वये दिलेले
(सुधारित आवृत्ती २००५) क्रमांक No. 1201

रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

CERTIFICATE

दि बाँम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्टच्या कलम ५ अन्वये श्री./श्रीमती डॉ. विणा शंकर नंगडी
यांचे श्री कृपा मॅटर्निटी हॉस्पिटल,
खालील पत्त्यावर श्री. केचशया मंदिश जवळ, वळसंग बोड, जन
नर्सिंग होम/मॅटर्निटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati _____
has been registered under the _____
Bombay Nursing Homes Registration Act, 1949 in respect of _____
situated at _____
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. Registration No.	J-59	प्रसुतीसाठी Maternity	५०	कॉट्स Cots
रजिस्ट्रेशन दिनांक Date of Registration		इतर रुग्णांसाठी Other Nursing Patients	१०	कॉट्स Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२१ पर्यंत कार्यवाहीत राहिल.
The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- ०१/०४/२०२१



(Signature)

जिल्हा शल्य चिकित्सक, सांगली
तथा

Local Supervisory Authority, Sangli.
Dr. Vikramasinh Bhabusaheb Kadam
M.S. (Gen Surgeon)

Regd. No. - 80422

District Civil Surgeon, Sangli

Principal
Kamal Institute of Nursing
Education, Sangli



Memorandum of Understanding

Between

Kamal Institute of Nursing Education, Jath.

&

Balagopal Pediatric Hospital, Jath.


Subject: Regarding Training for Nursing Students.


For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Balagopal Pediatric Hospital, Jath** have agreed to utilize the clinical facilities as per the curriculum. Both parties will follow the rules regulation & norms laid down.

Violation of rules regulation will disqualify the origination from utilization of clinical facilities for students nursing training.

Signed with named.

Date: 22/10/2021


Mr. Bharat Banda Sabale
Chairman
Shri Umajirao Sanamadikar Medical
Foundation, Jath.


Dr. Vidyadhar R Patil
Balagopal Pediatric
Hospital, Jath.

Dr. Vidyadhar R. Patil
MBBS, DCH.
Reg. No. 2008/06/2648

BEFORE ME


ADV. BALASAHEB V. SAPKAL
Notary Government of India
Reg. No 10143
S/P, Mhaisal, Tal. Miraj, Dist Sangli
Dist. Reg. No. 2390312101

Solemnly affirmed before me by
Shri. Bharat B. Sabale
who is identified before me by
Shri. Adv. A. B. Dadhale
whom I Perceive as Kinsman

Noted & Registered
At Serial Number 11752/2021



महाराष्ट्र



शासन

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले
(सुधारित आवृत्ती २००५) क्रमांक No. 1067

रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

CERTIFICATE

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये श्री./श्रीमती डॉ. विद्याधर आर. पाटील
यांचे बालगोपाळ लहान मुलांचे हॉस्पिटल
खालील पत्त्यावर वकसंग रोड, जल ता. - जल जि. - सांगली
नर्सिंग होम/मॅटीर्निटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati _____
has been registered under the _____
Bombay Nursing Homes Registration Act, 1949 in respect of _____
situated at _____
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. J-510 प्रसुतीसाठी - कॉट्स
Registration No. Maternity Cots

रजिस्ट्रेशन दिनांक इतर रुग्णांसाठी 50 कॉट्स
Date of Registration Other Nursing Patients Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२५ पर्यंत कार्यवाहीत राहील.
The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली
सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :-



Kamal Institute of Nursing
Educational Sangli
जिल्हा शल्य चिकित्सक, सांगली
तथा
Local Supervisory Authority, Sangli.
Dr. Sanjay B. Salunkhe
M.S. (ENT.)

Reg. No. 58630
Civil Surgeon, P.V.P.G.H., Sangli.



महाराष्ट्र MAHARASHTRA

2020

YG 299127

मुद्रांक किंमत रुपये

१००२

ए.मु.किंमत रुपये

जल दिप्री नंबर

२५२९

तारीख २२/१०/२०२१ विश्वस्त

मुद्रांक विकत घेणाऱ्याचे नाव

श्री उमाजीराव सनमडीकर मेडीकल कॉन्डिशन, जलगांगली

जल विशाके गंगाधर जाधव

20 OCT 21 Sub Treasury Officer, Jath

मुद्रांक विकत घेणाऱ्याचे नाव... मुद्रांक क्रमांक २४०३००२

NOTARY PUBLIC VASANT SARKAL GOVERNMENT OF INDIA Reg. No. 10143 Exp. Date 05/05/2024

Vertical text on the left side of the page, possibly a watermark or security feature.

Vertical text on the right side of the page, possibly a watermark or security feature.

Various circular stamps and signatures at the bottom of the page.

महाराष्ट्र



शासन

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले
(सुधारित आवृत्ती २००५) क्रमांक No.

रजिस्ट्रेशन सर्टिफिकेट

1017

Certificate of Registration under Section 5 of Bombay Nursing Homes
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

CERTIFICATE

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये श्री./श्रीमती डॉ. मनोहर डॉ. रोहन मोदी
यांचे मोदी सर्जिकल अँड प्रेग्नेन्सी हॉस्पिटल

खालील पत्त्यावर Maharaja Pratap Chowk, Mangalwar Peth, Jath.

नर्सिंग होम/मॅटीर्निटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati Dr Manohar Modi/Dr Roban Modi
has been registered under the Modi Surgical & Maternity Hospital
Bombay Nursing Homes Registration Act, 1949 in respect of Maharaja Pratap
Chowk situated at Mangalwar Peth, Jath
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. 502-58
Registration No.

प्रसुतीसाठी 25
Maternity

कॉट्स
Cots

रजिस्ट्रेशन दिनांक
Date of Registration

इतर रुग्णांसाठी 25
Other Nursing Patients

कॉट्स
Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च 2025 पर्यंत कार्यवाहीत राहील.
The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- 1/7/2022



जिल्हा शल्य चिकित्सक, सांगली
Dr. Sanjay B. Salunkhe
Local Supervisory Authority, Sangli.
M.S. (ENT.)
Reg. No. 58570



Memorandum of Understanding

Between
Kamal Institute of Nursing Education, Jath.
&
Modi Surgical & Maternity Hospital, Jath.


Subject: Regarding Training for Nursing Students.


For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Modi Surgical & Maternity Hospital, Jath** have agreed to utilize the clinical facilities as per the curriculum. Both parties will follow the rules regulation & norms laid down.

Violation of rules regulation will disqualify the origination from utilization of clinical facilities for students nursing training.

Signed with named.

Date: 23/10/2021


Mr. Bharat Banda Sabale
Chairman
Shri Umajirao Sanamadikar Medical
Foundation, Jath.



Dr. Manohar Shivappa Modi
Modi Surgical & Maternity
Hospital, Jath.

DR. M. S. MODI JATH
MODI SURGICAL HOSPITAL
Reg. No. - 29727.

Noted & Registered
At Serial Number. 11758/2021

BEFORE ME


ADV. BALASAHEB V. SAPKAL
Notary Government of India
Reg. No 10143
Mhaisal, Tal. Miraj, Dist. Sangli
Mob. No. 9890317111

Solemnly affirmed before me by
Shri. Bharat B. Sabale
who is identified before me by
shri. Adv. A. B. Dudhal
whom I Personally Known. 





महाराष्ट्र MAHARASHTRA

2024

27AB 169961

मुद्रांक किंमत रुपये 9001- ए.मु. किंमत रुपये 9001-
 जल चिह्नी नंबर ५८८८ तारीख २०१२/१२/२५
 मुद्रांक विक्रय घेणाऱ्याचे नांव Chairman
श्री उमाशंकर सांगतदार मेडिकल
फाउंडेशन, जात, जिल्हा-सांगली
 कारण सांगली
सांगली

06 FEB 2025
 Sub Treasury Officer, Jatt

परवानाधारक मुद्रांक विक्रेत्याचे नाव य राही

श्री विक्रम सांगतदार कार्टीस
 मुद्रांक विक्रेता: एल. एस. एस. एस. एस.
 परवाना क्रमांक २५०३००४
 मं. म-९८८९०३५९२५



या कारणासाठी ज्यांनी मुद्रांक खरेदी केले आहेत त्यांच्या कारणासाठी मुद्रांक खरेदी केल्यापासून ६ महिन्यांत दाखणे बंधकार्य आहे



Memorandum of Understanding
Between
Kamal Institute of Nursing Education, Jath
&
Mayureshwar Hospital, Jath

Subject:- Regarding Training for Nursing Students.

For the Purpose of Providing clinical experience to the Nursing Students of **Kamal Institute of Nursing Education, Jath** Tal- Jath, Dist- Sangli at **Mayureshwar Hospital, Jath** have agreed to utilize to clinical facilities as per the curriculum. Both Parties with follow the rules regulation & norms lead down.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.

13 FEB 2025

Date:- 10/02/2025.

Mr. Bharat Bopda Sable
Chairman
Shri Umajirao Sanamadikar
Medical Foundation, Jath


Dr. Shaliwahan V. Pattanshetti
Mayureshwar Hospital, Jath



BEFORE ME

Adv. B. V. SAPKAL
Notary Government of India
Reg.No.10143
A/P.Miraj, Tal. Miraj, Dist, Sangli.
Mob.No.9890312101

Noted & Registered 2453 / 2025
At Serial Number.....



महाराष्ट्र



शासन

सन १९४९ च्या दि बाँम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्टच्या कलम ५ अन्वये दिलेले
(सुधारित आवृत्ती २००५) क्रमांक No. 1178

रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

CERTIFICATE

दि बाँम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्टच्या कलम ५ अन्वये श्री./श्रीमती डा. शांतीवाहन विश्वनाथ
पट्टणशेट्टी यांचे मयुरेश्वर हॉस्पिटल

खालील पत्त्यावर विनापूर रोड, जत

नर्सिंग होम/मॅटीनिटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati _____
has been registered under the _____
Bombay Nursing Homes Registration Act, 1949 in respect of _____
situated at _____
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. Registration No.	5-606	प्रसुतीसाठी Maternity	—	कॉट्स Cots
रजिस्ट्रेशन दिनांक Date of Registration		इतर रुग्णांसाठी Other Nursing Patients	50	कॉट्स Cots

हे सर्टिफिकेट दिनांक ३१ मार्च २०२७ पर्यंत कार्यवाहीत राहील.
Certificate shall be valid up to 31 March

ठिकाण :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- ०१/०४/२०२४



जिल्हा शल्य चिकित्सक, सांगली
तथा

Local Supervisory Authority, Sangli.

Dr. Vikramasinh Bhahusaheb Kadam

M.S. (Gen. Surgeon)

Kamal Institute of Nursing
Education, Jath, Dist-Sangli

Regd. No. - 80422

District Civil Surgeon, Sangli



महाराष्ट्र MAHARASHTRA

2020

YH 536108

मुद्रांक किंमत रुपये १००/- ए.मु. किंमत रुपये १००/-
 जात विक्री नंबर १५१६ तारीख २२/१०/२०२१
 मुद्रांक विक्रेता विश्वरत
श्री उमाजीराव सनमडीकर मेडीकल फौंडेशन, जात.
 रा. (को) ८९.८५ ०१०२ २१० २०१ १११ ११
 कारण ४.००२



29 OCT 2021

Sub Treasury Officer, Jath

परमप्राप्त मुद्रांक विक्रेत्याचे नाव व सही

श्री. विश्वरत उमाजीराव सनमडीकर
 मुद्रांक विक्रेता जात सहायक जाकार
 मरवाणा कनिष्ठ २४०३००४
 पो. नं-९८८९०३, ११२१

जात विक्रेत्याची कोटीची मालिका सहीची दोस्तानेची मालिका जात सही मुद्रांक सहीची कोट्यापासून दृग्दीयात वापरणे बंधनकारक आहे

Noted & Registered
 at Serial Numbers 3924

2021

30 OCT 2021





**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY
(MSMHA)**

Form-F

[See rule 66]

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - Dr. Chandrashekhar Halingale

Address: - Nirmal Neuropsychiatry Center, Station road, Near Pujari Hospital,
Miraj, Dist. Sangli

No of beds: - 20

Permanent Registration Certificate No. 87/2024


The Permanent registration certificate No. 87/2024 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.


Place: Mumbai

Date: 11/01/2024

Dr. Swapnil Lale
Chief Executive Officer
State Mental Health
Authority, Mumbai

Seal of the Registration Authority


Registration Authority
(MSMHA)


Principal
Kamal Institute of Nursing
Miraj, Dist. Sangli

Form - C

MHCA 2017- [See rule 11(3)]

CERTIFICATE OF PROVISIONAL REGISTRATION

The state authority after considering the application dated 01/06/2023 submitted by **NIMHS Hospital Private Limited** under section 65 (2) and section 66 (10) of the Mental Health Care act 2017, hereby accords provisional registration to the applicant mental health establishment in terms of section 66(4) as per the details given here under

Name: - **Dr. Chandrashekhar A. Halingale**

Address: - **Station Road near Railway Station, Miraj, Sangli**

Number of beds: - **30**

The provisional registration certificate issued is subject to the condition laid down in the Mental Health Care act 2017, and the rules and regulation made their under and shall be valid for a period of twelve months from the date of its issue and can be renewed द्वारा नवीकरितं जायते


Place: -Mumbai

Date: -07/06/2023

**GOVERNMENT OF
MAHARASHTRA**

Dr. Swapnil Lale
Chief Executive Officer
State Mental Health
Authority, Mumbai

Seal of the Registration Authority


Registration Authority

Memorandum of Understanding

Between

Kamal Institute of Nursing Education, Jath.

&

Nirmal Hospital and De Addiction Centre Miraj.


Subject: Regarding Training for Nursing Students.

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Nirmal Hospital and De Addiction Centre Miraj Dist- Sangli** have agreed to utilize the clinical facilities as per the curriculum. Both parties will follow the rules regulation & norms laid down.

Violation of rules regulation will disqualify the origination from utilization of clinical facilities for students nursing training.

Signed with named.

Date: 29/10/2021



Mr. Bharat ^{Band} Banda Sabale
Chairman

Shri. Umajirao Sanamadikar Medical
Foundation, Jath.

Shri. Umajirao Sanamadikar Medical Foundation, Jath.

Dr. Chandrashekhar Halingale
Nirmal Hospital and
De Addiction Centre, Miraj.

BEFORE ME

[Signature]
30/10/2021

Adv. Rajendra S. Patil

NOTARY Reg.No.6188

GOVT. OF INDIA

Sangli District M.9822607466

30 OCT 2021





महाराष्ट्र MAHARASHTRA

2020

YG 299125

मुद्राक किंमत रुपये १००० ए.मु.किंमत रुपये १०००

जत विक्री नंबर २६२९ तारीख २२/०९/२०२१ विश्वरत

मुद्रांक विक्रय घेणाऱ्याचे नाव श्री उमाजीराव सनमडीकर मेडीकल फॉर्इशन जत

रा. ता. जत. जि. सांगली

ता. जत. जि. सांगली



Sub Treasury Officer, Jath

gathu

gathu

मुद्राक विक्रय जत तहसिल अंवार

परवाना क्रमांक २४०३००२

मुद्राक विक्रय घेणाऱ्याचे सही/अंगठा
आवा कारणसही घेवनी मुद्राक खरेदी केल्या त्वाच कारणासाठी मुद्राक खरेदी केल्यापासून महीन्यात वापरणे केल्यापासून
महीन्यात वापरणे केल्यापासून



NOTARY PUBLIC
GOVERNMENT OF INDIA
Regd. No. 10143
Exp. Date 18/05/2024
SANGLI





Noted & Registered
At Serial Number... 11869/2021

Memorandum of Understanding

Between

Kamal Institute of Nursing Education, Jath.

&

Shri Krupa Maternity Hospital, Jath.


Subject: Regarding Training for Nursing Students.

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Shri Krupa Maternity Hospital, Jath** have agreed to utilize the clinical facilities as per the curriculum. Both parties will follow the rules regulation & norms laid down.


Violation of rules regulation will disqualify the origination from utilization of clinical facilities for students nursing training.

Signed with named.

Date: 22/10/2021


Mr. Bharat B. Sabale
Chairman

Shri Umajirao Sanamadikar Medical
Foundation, Jath.



Dr. Veena Shankar Tangadi
Shri Krupa Maternity
Hospital, Jath.

Dr. Mrs. **VEENA S. TANGADI**
M.B.B.S., DGO

BEFORE ME



ADV. BALASAHEB V. SAPKAL
Notary Government of India
Reg. No 10143
W.P. Mhaisal, Tal. Miraj, Dist. Sangli
Mob. No. 9890312151

Solemnly affirmed before me by
Shri. Bharat B. Sabale
who is identified before me by
shri. **Adv. A. B. D. Dhal**
whom I Personally Known. 






**SURYA CENTER TREATMENT FACILITY PVT. LTD.
BIO MEDICAL WASTE DISPOSAL PLANT**




CST.NO. 79,79A, 80 ARWADE MILL, BALAJI MILL ROAD, NORTH SHIVAJI NAGAR, SANGLI 416416
Tel. No.: 8411811005 Mob: 9823184999. GSTIN - 27ABJCS9911R1ZC
MPCB Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification

Registration Certificate



Online Verification

Certificate # : SC20242504324

Date: 22-10-2024

This is to certify that **NIHMS Hospital Private Limited, Opp Ashwini Canteen Station Road , Miraj, Miraj City, Tal. : Miraj, Dist. :Sangli, Pin: 416410** is registered with **Surya Center Treatment Facility Pvt. Ltd. Sangli** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	:	Dr. Chandrashekhar A Hallingale Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	:	- Not Applicable-Being Psychiatric Hospital,instead of Bombay Nursing,certificate issued by CEO State Mental Health Authority Mumbai permanent registration certificate Date-07-06-2023 under Section-65(2) & section 66(10) Mental Health care Act 2017. Not Available 30 Not Available
3	Common Treatment Facility Reistration Details Date of Registration No. of Beds Registered Registration Validity	:	- 18-10-2024 30 31-03-2025
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	:	- 31-03-2025 30
5	MPCB Consent (Establish/ 1st Operate/Renewal) Details Concent / CCA Number Issue Date Validity Upto	:	- ----- ----- -----

Remarks: CCA NOT OBTAINED APPLICATION NOT SUBMITTED.



*Teghava Rajeev
Kore*

Authorized Signature
Name: Meghna Kore
Designation: Director




SURYA CENTER TREATMENT FACILITY PVT. LTD.
BIO MEDICAL WASTE DISPOSAL PLANT



CST.NO. 79,79A, 80 ARWADE MILL, BALAJI MILL ROAD, NORTH SHIVAJI NAGAR, SANGLI 416416
 Tel. No.: 8411811005 Mob: 9823184999. GSTIN - 27ABJCS9911R1ZC
 MPCB Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

Date: 18-10-2024

Certificate # : SC20242504295

This is to certify that **Nirmal Neurosychiatric Centre (Unit I)**, Near Shree Hospital,, Station Road, Miraj., Miraj City, Tal. : Miraj, Dist. : Sangli, Pin: 416410 is registered with **Surya Center Treatment Facility Pvt. Ltd.** Sangli for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Chandrashekhar Appasaheb Halingale. Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	- Not Applicable-Being Psychiatric Hospital, instead of Bombay Nursing, certificate issued by CEO State Mental Health Authority Mumbai permanent registration certificate no.87/2024 Not Available 20 Not Available
3	Common Treatment Facility Reistration Details Date of Registration No. of Beds Registered Registration Validity	- 01-04-2024 20 31-03-2025
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	- 31-03-2025 20
5	MPCB Consent (Establish/ 1st Operate/Renewal) Details Concent / CCA Number Issue Date Validity Upto	- ORANGE/S.S.I No:- Format 1.0/SRO/UAN No.0000173554/CO/2403001239 03-03-2024 31-05-2025

Remarks:



Meghna Kore

Authorized Signature
 Name: Meghna Kore
 Designation: Director

SURYA CENTER TREATMENT FACILITY PVT. LTD.
BIO MEDICAL WASTE DISPOSAL PLANT

C/o Kore Lawns, Sahayog Nager Near Sphurti Chowk, Vishrambag, Sangli-416415
Mobile: 8411811005/9823184999, Landline: 0233-3594187, GSTIN - 27ABJCS9911R1ZC MPCB
Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification

Registration Certificate



Online Verification

Certificate # : SC20242502602

Date: 10/04/2024

This is to certify that **Rohan Modi Sergical, & Maternity Hospital, Mangalwar Peth, Jath, Jat City, Tal. : Jat, Dist. : Sangli, Pin: 416404** is registered with **Surya Center Treatment Facility Pvt. Ltd., Sangli** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Rohan Manohar Modi Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	- J-58 01-07-2022 50 31/03/2025
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	- 01-04-2024 50 10/04/2025
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	- 10/04/2025 50
5	MPCB Consent (Establish/1st Operate/Renewal) Details Consent / CCA Number Issue Date Validity Up to	- Orange No Format 1.0/SRO/UAN/ No. 0000171710/CO/2307001301 20/07/2023 31/05/2026

Remarks:



Meghana Rajeev
Kor

Authorized Signature
Name: Meghana Kore
Designation: Director



SURYA CENTER TREATMENT FACILITY PVT. LTD.
BIO MEDICAL WASTE DISPOSAL PLANT



C/o Kore Lawns, Sahayog Nager Near Sphurti Chowk, Vishrambag, Sangli-416415
Mobile: 8411811005/9823184999, Landline: 0233-3594187, GSTIN - 27ABJCS9911R1ZC MPCB
Licener No. : Format I.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

Registration Certificate

Certificate # : SC20222300149

Date: 15/05/2024

This is to certify that **Dr. Shalivahan Vishwanath Pattanshetti, Mayurishwar Hospital, A/P Jath, Vijaypur Road, Jath, Tal. : Jat, Dist.: Sangli, Pin: 416404** is registered with **Surya Center Treatment Facility Pvt. Ltd., Sangli** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Shalivahan Vishwanath Pattanshetti. Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	- J-606 01/04/2024 50 31/03/2027
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	- 01-04-2024 50 31-03-2025
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	- 31-03-2025 50
5	MPCB Consent (Establish/1st Operate/Renewal) Details Consent / CCA Number Issue Date Validity Upto	- - - -

Remarks: Authorization renewal not till date, BNH issue date not mentioned, consent Not obtained.



Meghana Rajeev Kore

Authorized Signature
Name: Meghana Kore
Designation: Director



SURYA CENTER TREATMENT FACILITY PVT. LTD.
BIO MEDICAL WASTE DISPOSAL PLANT



C/o Kore Lawns, Sahayog Nager Near Sphurti Chowk, Vishrambag, Sangli-416415
Mobile: 8411811005/9823184999, Landline: 0233-3594187, GSTIN - 27ABJCS9911R1ZC MPCB
Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

Registration Certificate

Certificate # : SC20222300312

Date: 28/07/2023

This is to certify that Shri Kripa Maternity Hospital, Near s t stand, Jath, , Tal. : Jat, Dist. :Sangli, Pin: 416404 is registered with Surya Center Treatment Facility Pvt. Ltd., Sangli for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Veena Shankar Tangadi Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	- J-59 28/07/2023 50 31/03/2024
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	- 01-04-2023 50 31-03-2024
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	- 31-03-2024 50
5	MPCB Consent (Establish/1st Operate/Renewal) Details Consent / CCA Number Issue Date Validity Upto	- SRO-Sangli-Bmw Auth/ 1703000437/2017 23-03-2017 31/05/2017

Remarks: Authorization renewal not till date, BNH issue date not mentioned, consent Not obtained.



Meghana Kore

Authorized Signature
Name: Meghana Kore
Designation: Director



SURYA CENTER TREATMENT FACILITY PVT. LTD.
BIO MEDICAL WASTE DISPOSAL PLANT



C/o Kore Lawns, Sahayog Nager Near Sphurti Chowk, Vishrambag, Sangli-416415
Mobile: 8411811005/9823184999, Landline: 0233-3594187, GSTIN - 27ABJCS9911R1ZC MPCB
Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Registration Certificate

Certificate # : SC20222301516

Date: 04-12-2023

This is to certify that **Kamal Orthopedic Center, Satara Road, Nigadi corner, Jath, , Tal. : Jat, Dist. :Sangli, Pin: 416410** is registered with **Surya Center Treatment Facility Pvt. Ltd., Sangli** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Kailas umaji Sanamdikar Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	- Not Obtained 01-04-2023 100 31-03-2026
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	- 01-04-2023 100 31-03-2024
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	- 31-03-2024 100
5	MPCB Consent (Establish/1st Operate/Renewal) Details Concent / CCA Number Issue Date Validity Upto	- — — —

Remarks: CCA Not obtained Application not submitted.



Meghana Kore

Authorized Signature
Name: Meghana Kore
Designation: Director

MAHARASHTRA POLLUTION CONTROL BOARD

Tel:0231-2652952
0231-2660448
Fax:0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in



Maharashtra Pollution Control Board, Udyog Bhavan Building, Near Collectarater Office, Kolhapur - 416 002

ORANGE/S.S.I
No:-Format1.0/RO/UANNo.0000187519/CO/2401001070

Date:09/01/2024

To,
M/s. Balgopal Childrens Hospital
Valsang road, Jath Tal.
Dist. Sangli - 416 412.
Email:drvidyadhar.patil@gmail.com
Contact No.:9168189662



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P& CP)Act, 1974, Air (P& CP)Act, 1981and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000187519& BMW Auth No.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 21/11/2023

After examining the proposal, The Maharashtra Pollution Control Board here by grant1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Tran boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.10.2026.
2. The capital investment of the HCF is ₹89.15Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area:-Plot Area 456.00M²with Built-up area 415.43 M².
4. **Activities Included**
 - a. Total Number of Beds:50Nos.(As per BNH certificateno.J510validupto31-03-2025)
 - i. Other Beds:50Nos
5. **Conditions under the Water(P&CP)Act, 1974:-**
 1. Quantityoftotalwaterconsumptionshallnotexceed4.5M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. Youshallprovidewatermeteratwaterintakepoint&atsewage/Effluentdisposal point and shall maintain monthly records thereof.
6. **Conditions under the Air(P&CP)Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Condition under Hazardous and Other Wastes (Management, Handling &7. Transboundary Movement) Rules,2016for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					


8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Hospital Authority shall provide a scientific close arrangement for the storage of Bio medical waste with a Biohazard symbol and also Non-hazardous waste, and products and shall strictly not carry out unconsented activity/products within the premises.
18. The Combined Consent to Operate and Bio-medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees/deemed fee on top priority after communication from the MPCB Office.
19. Hospital Authority shall operate the Effluent /Sewage Treatment Plant continuously and scientifically so as to achieve the standards. Also, to maintain the record regarding the same.
20. Hospital authority shall scientifically store the Bio medical waste in a colour coded bags and in isolated / separate close arrangement with Bio Hazard symbol at the entrance. Also, to maintain record regarding daily disposal of Bio medical waste to the concerned Common Bio medical waste, Treatment, Storage and Disposal Facility and also to submit Bio medical waste Annual report without fail.



Signed by: **Shri. Navanath Sambhaji Awatade**
 Sub Regional Officer
 For and on behalf of,
Maharashtra Pollution Control Board
 srosangli@mpcb.gov.in
 2024-01-09 11:03:02 IST

Received Consent/Authorization fee of-

Sr.No	Amount(Rs.)	Transaction/DR. No.	Date	Transaction Type
1	25000.00	TXN2311002841	21/11/2023	Online Payment
2	8411.00	TXN2401001328	06/01/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur for information.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/CEIC-for record & website updating purpose.

Condition under Water(P&CP),1974Act:(ReferConditionNo.5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity(CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	4.50
3.	Processing where by water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	3.5	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable.

C. You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD(3days27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure-II

Terms&conditionsforIncinerator(s)andD.G.Set(s)underAir(P&CP)Act,1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack(s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	10.00	Red coloured non-chlorinated plastic bags or containers.	Biomedical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	1.00	Puncture proof, Leak proof, tamper proof container.	Biomedical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical wastetreatmentandDisposalfacilitySuryaCenterTreatmentFacilityPvtLtd, Sangli and maintain records thereof for 5 years.
2. You shall establish barcode for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016

4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal(<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid up to the validity of this CCA + 4monthsadditional.SubmitafreshBank Guarantee for the newly added Activity/Condition to be Complied mentioned in the above table valid up to the validity of this CCA + 4 months additional.

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. bed is posed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "CytotoxicWaste" with symbol on waste containers/bags and shall handover to BMWCTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps0@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/S.S.I

Date: 02/03/2023

No:- Format1.0/PSO/UAN No.0000151477/CE/2303000127

To,
Shri Umajirao Sanamadikar Medical Foundation,
Kamal Orthopedic Center, Jath
C/O. Gut No. 523,
Satara Road, Nigadi Corner, Jath,
Tal: Jath,
Dist.: Sangli - 416404.
Email: kocjath@gmail.com
Contact No.:9822338014



Grant of Consent to Establish & 1st Operate under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Your Consent to Establish application received to MPCB, HQ, Sion, Mumbai on 27.01.2023.
 2. This office email dated 19.01.2023.
 3. Information uploaded by you on 25.01.2023 & 27.01.2023.
 4. Your application for Combine Consent and Bio-Medical Waste Authorization dated 26/10/2022
 5. SCN for refusal of application issued on 30.01.2023.
 6. Information uploaded by you on 03.02.2023.
 7. Minutes of Personal Hearing dated 13.02.2023.
 8. Required information uploaded by you on 23.02.2023 & 24.02.2023.
 9. Additional Consent & Penal fees submitted by you on 07.04.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Trans boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **20-07-2022 To 20-07-2027**
2. The capital investment of the HCF is **₹185.00 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 999.00 M² with Built-up area 130.00 M².

4. **Activities Included**

a. Total Number of Beds: 100 Nos. (As per BNH certificate no. J-01 valid up to 31-03-2023)

I. General Beds: 83 Nos.

II. ICU/ICU Beds: 15 Nos.

III. Operation Theatre: 2 Nos.

IV. Maternity Beds: 0 Nos.

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 25.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		Biological sludge of STP	20	Kg/Day	Gardening & manure.

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF M/s Surya Central treatment Facility, Sangli Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. Penal fees for delay in submission of application submitted by of Rs. 15,165/- has been received by Board.
18. You shall submit Bank Guarantee of Rs. 1,50,000/- towards compliance of condition mentioned at Schedule - III to Regional Officer, Pune within 15 days.
19. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Pune for verification purpose.



e26e3042
01d29f78
dbdc963f
69991bc5
0cfc339f
edc5011f
e8545568
006181bb

Signed by: **Dr. J.B.Sangewar**
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-03-02 12:34:02 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2210002665	15/07/2022	Online Payment
2	15000.00	TXN2113000216	01/12/2022	Online Payment
3	15165.00	TXN2213000199	04/01/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	23.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	18	As per clause 'C'	100% Recycle and reuse for gardening, flushing and cleaning purpose.
2	Trade effluent	01	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	DG set (30 KVA)	Diesel	3.00 Ltr/Hr	10.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	75.00	Yellow colored non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	90.00		
		d) Expired or Discarded Medicines	5.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00	Yellow colored non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	15.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	150.00	Red colored non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
3	White (Translucent)	Waste sharps including Metals	25.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue colored marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
		b) Metallic body implants	30.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **M/s Surya Central treatment Facility for Bio Medical West, Miraj** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<i>Sr.No</i>	<i>Activity / Condition to be Complied</i>	<i>Compliance Timeline (Months)</i>	<i>Bank Guarantee Amount</i>
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Six	25,000.00
2	To install adequate capacity of Sewage / Effluent Treatment Plant to treat the sewage/ effluent generated from Hospital.	Six	50,000.00
Total			1,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radioactive material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





SURYA CENTER TREATMENT FACILITY PVT.LTD.

BIOMEDICAL WASTE DISPOSAL PLANT



CST.NO.79,79A,80ARWADEMILL,BALAJIMILLROAD,NORTHSHIVAJINAGAR,SANGLI416416

Tel.No.:8411811005 Mob:9823184999. GSTIN -27ABJCS9911R1ZC

MPCBLicenerNo.:Format1.0/CCUANNo.0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

Registration Certificate

Certificate#:SC20252607584

Date: 03-12-2025

This is to certify that Kamal Orthopedic Center, Satara Road, **Nigadi corner, Jath,,** Jat City, Tal.:Jat, Dist.: Sangli, Pin: 416410 is registered with Surya Center Treatment Facility Pvt. Ltd. Sangli for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	Dr. Kailas umaji Sanamdikar Owner
2	Bombay Nursing Home Act Registration Details BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	- 01-04-2023 100 31-03-2026
3	Common Treatment Facility Registration Details Date of Registration No. of Beds Registered Registration Validity	01-10-2025 100 31-03-2026
4	Renewal of CTF Membership (if Applicable) Renewal Date No. of Beds Registered	31-03-2026 100
5	MPCB Consent (Establish/1stOperate/Renewal)Details Consent/CCA Number Issue Date Validity Up to	Format1.0/PSO/UAN NO.0000151477/CE/2303000127 20/07/2022 20/07/2027
	Remarks:	



Meghna Kore

Authorized Signature

Name: Meghna Kore

Designation: Director

MAHARASHTRAPOLLUTIONCONTROLBOARD

Tel:0231-2652952
0231-2660448
Fax:0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in



Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectarate Office,
Kolhapur - 416 002

ORANGE/

Date:20/07/2023

No:-Format1.0/RO/UANNo.0000171710/CO/2307001301

To,
M/s. Modi Surgical and Maternity Hospital
C.S.NO.1944, A/p. Jath,
Tal- Jath, Dist- Sangli -416404
Email:rohanmodi7000@gmail.com Contac
t No.:9834800364



Combined Consent to 1st Operate and Bio Medical Waste Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:Your application for Combine Consent to Establish and 1st Operate and Bio- Medical Waste Authorization dated 07/06/2023.

After examining the proposal, The Maharashtra Pollution Control Board here by grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Tran boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. Grant of Combined Consent to Establish and 1st Operate and Biomedical Waste Authorization for the period up to 31.05.2026.
2. The capital investment of the HCF is ₹53.99 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area:-Plot Area 419.00M² with Built-up area 350.00M².
4. **Activities Included**
 - a. Total Number of Beds: 50 Nos. (As per BNH certificate no. jath 58 valid up to 31-03-2025)
 - i. General Beds: 25 Nos
 - ii. Maternity Beds: 25 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air(P&CP)Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWT SDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Surya Central Treatment Facility, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPC Bas detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Hospital authority shall obtain prior permission i.e. Combined Consent to Operate and Bio medical waste authorization from Maharashtra Pollution Control Board at least 60 days before validity of existing Consent to Operate.
18. The Hospital Authority shall provide a scientific close arrangement for storage of Bio medical waste with Bio hazard symbol and also Non-hazardous waste, and products and shall strictly not carry out un consented activity/products within the premises.
19. The validity of this Combined Consent and Bio medical waste authorization is decided based on the Undertaking submitted by the Hospital Authority dated 14.07.2023.
20. The Combined Consent and Bio medical waste authorization fees calculated and communicated to the Hospital Authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees/ deemed fee on top priority after communication from the MPCB Office.



Mutade

5d76486f
48bbe5cc
543b9dbc
acb7bf5a
da5800fe
0996bd62
562b11c1
a25c785b

Signed by: Shri. Navanath Sambhaji Awatade
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
srosangli@mpcb.gov.in
2023-07-20 13:29:18 IST

Received Consent/Authorization fee of-

Sr. No	Amount(Rs.)	Transaction/DR. No.	Date	Transaction Type
1	16250.00	TXN2306000984	07/06/2023	Online Payment
2	3000.00	TXN2307002720	20/07/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur for information.
- They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/CEIC-for record & website updating purpose.

Conditions under Water(P&CP), 1974Act:(ReferConditionNo.5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity(CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	3.00
3.	Processing where by water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	2.5	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	1.5	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..

C. You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr.No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD(3days27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion / Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure-II

Terms&conditionsforIncinerator(s)andD.G.Set(s)underAir(P&CP)Act,1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack(s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources with in the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste(Category and Quantity)

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b)Animal Anatomical Waste	0.00		
		c)Soiled Waste	2.00		
		d) Expired or Discarded Medicines	2.00		
		e)Chemical Waste	2.00		
		f)Chemical Liquid Waste	5.00	Separate collection system leading to effluent treatment system.	
		g)Discarded linen, mattresses, beddings contaminated with blood or body fluid.	1.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h)Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
4	Blue	a)Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b)Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Central Treatment Facility, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.

6. You shall ensure use of colour coded bin sand bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr. No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.

8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. bed is posed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "CytotoxicWaste" with symbol on waste containers/bags and shall handover to BMWCTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0233 - 2672032
Fax: 0233- 2323732
Website: <http://mpcb.gov.in>
Email: srosangli@mpcb.gov.in



300/2 , Udyog Bhavan , Near
Government Rest House ,
Vishrambaug , Sangli - 416
416

ORANGE/S.S.I

Date: 13/03/2024

No:- Format1.0/SRO/UAN No.0000173554/CO/2403001239

To,
M/s. Nirmal Hospital,
Station road, Near Pujari Hospital,
Miraj city, Dist. Sangli - 416 410
Email:nirmalhospital12345@gmail.com
Contact No.:9011800419



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000173554& BMW Auth No.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/12/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.05.2025.
2. The capital investment of the HCF is ₹61.43 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 259.00 M² with Built-up area 200.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **20 Nos.**
 - I. General Beds : **15 Nos**
 - II. Operation Theatre : **2 Nos**
 - III. Other Beds : **3 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 7 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Combined Consent to Operate and Bio medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees / deemed fee on top priority after communication from the MPCB Office.
18. Hospital Authority shall operate the Effluent / Sewage Treatment Plant continuously and scientifically so as to achieve the standards. Also, to maintain the record regarding the same.
19. Hospital authority shall scientifically store the Bio medical waste in a colour coded bags and in isolated / separate close arrangement with Bio Hazard symbol at the entrance. Also, to maintain record regarding daily disposal of Biomedical waste to the concerned Common Bio medical waste, Treatment, Storage and Disposal Facility and also to submit Biomedical waste Annual report without fail.



Mutade

3161b5c1
0af32f8c
78ce7122
d91115bf
7d6ba538
8924f063
6782f086
504abf66

Signed by: Shri. Navanath Sambhaji Awatade
Sub Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
srosangli@mpcb.gov.in
2024-03-13 18:19:02 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2307004353	31/07/2023	Online Payment
2	19206.00	TXN2403002670	13/03/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur for information.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	6.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	22.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	27.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Center Treatment Facility Pvt Ltd, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	7.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	5.00	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable.

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

MAHARASHTRAPOLLUTIONCONTROLBOARD

Tel:0231-2652952
0231-2660448
Fax:0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in



Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectorate Office,
Kolhapur - 416 002

ORANGE/

Date:10/10/2023

No:-Format1.0/RO/UANNo.0000179097/CO/2310000687

To,
Shrikrupa Hospital,
Near Kanchria Temple,
Walsang road, Jath, Dist. Sangli.
Email: drveenatangadi@gmail.com
Contact No.:9404227090



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P& CP)Act, 1974, Air (P& CP)Act, 1981andBio-MedicalWaste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000179097& BMW Auth No.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 17/08/2023

After examining the proposal, The Maharashtra Pollution Control Board here by grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Tran boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.07.2025.
2. The capital investment of the HCF is ₹120.60 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: -Plot Area 813.00M² with Built-up area 586.00 M².
4. **Activities Included**
 - a. Total Number of Beds: **50 Nos.** (As per BNH certificate no.J59 valid up to 31-03-2024)
 - i. General Beds: **10 Nos.**
 - ii. Maternity Beds: **40 Nos.**
5. **Conditions under the Water(P&CP)Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 7 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage /Effluent disposal point and shall maintain monthly records thereof.

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	0	As per Actual	Kg	MPCB Authorized party


8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Surya Central Treatment Facility, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Hospital authority shall obtain prior permission i.e. Combined Consent to Operate and Bio medical waste authorization from Maharashtra Pollution Control Board at least 60 days before validity of existing Consent to Operate.
18. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
19. The Hospital Authority shall provide a scientific close arrangement for storage of Bio medical waste with Biohazard symbol and also Non-hazardous waste, and products and shall strictly not carry out un consented activity/products within the premises.
20. The Combined Consent to Operate and Bio medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees/deemed fee on top priority after communication from the MPCB Office.



7da98b33
83f17fe4
ce2fc10e
c9720db4
2e6fd00d
eae35b
dd0507ba
e3ad37f0

Signed by: Shri. Navanath Sambhaji Awatade
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
srosangli@mpcb.gov.in
2023-10-10 16:21:07 IST

Received Consent/Authorization fee of-

Sr. No	Amount(Rs.)	Transaction/DR. No.	Date	Transaction Type
1	82500.00	TXN2308002827	17/08/2023	Online Payment
2	30682.00	TXN2310000472	04/10/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur for information.
- -They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/CEIC-for record & website updating purpose.

Conditions under Water (P&CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	7.00
3.	Processing where by water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	5.0	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable

C. You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure-II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air(P&CP)Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack(s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	1.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non-chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b) Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Central Treatment Facility, Sangli** and maintain records thereof for 5 years.
2. You shall establish barcode for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.

6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal(<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr. No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid up to the validity of this CCA + 4 months additional.

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forth with reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.

8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. bed is posed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended timeto time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhawe to the standards/ SOPs applicable and waste shall be labelled specifically as "CytotoxicWaste"withsymbolonwastecontainers/bagsandshallhandovertoBMWCTFs.
18. You shall obtain required permissions from competent authority for radioactive material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall prefer ably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of FactoryAct1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.
