

**Maharashtra University of Health Sciences, Nashik.**  
**Inspection Committee Report for Academic Year 2026-2027**  
**Clinical Material in Hospital**

Faculty - Nursing

Name of College - Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist- Sangli.

## Hospital Details

Sr. No.	Particulars to be verified	Adequate /Inadequate
1	The Institute/College shall execute a MOU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>Parent Hospital 100 Bedded Affiliated 6 Hospital each more than 50 bedded</b>	Parent - 100 Affiliated - 250 Total - 350 <b>Adequate</b>
a.	Whether Hospitals registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	<b>Yes</b>
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) <b>1 : 3</b>	<b>Adequate</b>
c.	Average Bed Occupancy in% : (Minimum 75%)	<b>85% Adequate</b>
d.	Clinical facilities for PG to be verified: (As per MSR)	<b>NA</b>
	(i) Whether OPD is functioning to be verified	i) <b>Yes</b>
	(ii) Total No of OPD (on the day of inspection)	ii)
	(iii) Average Number of patients attending OPD (current year)	iii) <b>34337</b>
	(iv) Average Number of Delivery (Current year)	iv) <b>3614</b>
	(v) Average Number of abnormal Delivery (Current year)	v) <b>1629</b>
	<ul style="list-style-type: none"> <li>As per Central Council Norms/University Norms, above Infrastructure must be available at College.</li> <li>If Infrastructure is available, then mark "Adequate" &amp; do not attach any documents. it should be available on college website</li> <li>In case of "Inadequate", it must be mark as "Inadequate" with evidence. To be submit to university with report.</li> </ul>	

Here by I declare all relevant document uploaded are clear and visible on website & are true as per my best knowledge.

Any Other, Please Specify:-

Date: - 02/01/2026



Principal  
 Dean/Principal Stamp & Signature  
**Kamal Institute of Nursing Education, Jath, Dist- Sangli**

महाराष्ट्र



शासन

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले  
(सुधारित आवृत्ती २००५) क्रमांक No. 1105

**रजिस्ट्रेशन सर्टिफिकेट**

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

**CERTIFICATE**

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये श्री./श्रीमती डॉ. उमाजीराव सनमडीकर  
मेडिकल फौंडेशन अंतर्गत यांचे कमल ऑर्थोपेडिक सेंटर  
खालील पत्त्यावर निगडी कार्बर, जत  
नर्सिंग होम/मॅटीनिटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati \_\_\_\_\_  
has been registered under the \_\_\_\_\_  
Bombay Nursing Homes Registration Act, 1949 in respect of \_\_\_\_\_  
situated at \_\_\_\_\_  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. JOI प्रसुतीसाठी — कॉट्स  
Registration No. Maternity Cots

रजिस्ट्रेशन दिनांक इतर रुग्णांसाठी 100 कॉट्स  
Date of Registration Other Nursing Patients Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च 2026 पर्यंत कार्यवाहीत राहील.  
The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- 01/04/2023



जिल्हा शल्य चिकित्सक, सांगली  
**Dr. Sanjay B. Salunkhe**  
Local Supervisory Authority, Sangli.

Reg. No. 58630

Civil Surgeon, P.V.P.G.H., Sangli.

महाराष्ट्र



शासन

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले  
(सुधारित आवृत्ती २००५) क्रमांक No. 1201

रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

**CERTIFICATE**

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये श्री./श्रीमती डॉ. विद्या शंकर नंगडी  
यांचे श्री कृपा मॅटर्निटी हॉस्पिटल,  
खालील पत्त्यावर श्री. के.च.शाय्या मंदिश त्रवळ, वळशंग रोड, जन  
नर्सिंग होम/मॅटर्निटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati \_\_\_\_\_  
has been registered under the \_\_\_\_\_  
Bombay Nursing Homes Registration Act, 1949 in respect of \_\_\_\_\_  
situated at \_\_\_\_\_  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. Registration No.	J-59	प्रसुतीसाठी Maternity	५०	कॉट्स Cots
रजिस्ट्रेशन दिनांक Date of Registration		इतर रुग्णांसाठी Other Nursing Patients	10	कॉट्स Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२७ पर्यंत कार्यवाहीत राहील.  
The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- ०१/०५/२०२५



*(Signature)*

जिल्हा शल्य चिकित्सक, सांगली  
तथा  
Local Supervisory Authority, Sangli.  
**Dr. Vikramasinh Bhabusaheb Kadam**  
M.S. (Gen Surgeon)

Regd. No. - 80422  
District Civil Surgeon, Sangli

महाराष्ट्र



शासन

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले  
(सुधारित आवृत्ती २००५) क्रमांक No.

रजिस्ट्रेशन सर्टिफिकेट

1273

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

**CERTIFICATE**

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये श्री./श्रीमती डॉ. विद्याधर आर. पाटील  
यांचे वाळगोपाळ लक्ष्मण मुकांचे हॉस्पिटल  
खालील पत्त्यावर वसुधा रोड, जत  
नर्सिंग होम/मॅटीर्निटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati \_\_\_\_\_  
has been registered under the \_\_\_\_\_  
Bombay Nursing Homes Registration Act, 1949 in respect of \_\_\_\_\_  
situated at \_\_\_\_\_  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. Registration No.	5-510	प्रसुतीसाठी Maternity	-	कॉट्स Cots
रजिस्ट्रेशन दिनांक Date of Registration		इतर रुग्णांसाठी Other Nursing Patients	50	कॉट्स Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२८ पर्यंत कार्यवाहीत राहील.  
The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- 01/04/2025



जिल्हा शल्य चिकित्सक, सांगली  
Dr. Vilramasah Bahusaheb Kadam  
Local Supervisory Authority, Sangli  
M.S. (Gen. Surgeon)

Road No. 80422

District Civil Surgeon, Sangli

महाराष्ट्र



शासन

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले  
(सुधारित आवृत्ती २००५) क्रमांक No. 1275

रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

CERTIFICATE

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये श्री./श्रीमती डॉ. रोहनु मनोहर मोदी  
यांचे मोदी लजिकल अण्ड मेडिकल हास्पिटल  
खालील पत्त्यावर प्रहाराणा प्रताप चौक, भगववार पेठ, जत  
नर्सिंग होम/मॅटीर्निटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati \_\_\_\_\_  
has been registered under the \_\_\_\_\_  
Bombay Nursing Homes Registration Act, 1949 in respect of \_\_\_\_\_  
situated at \_\_\_\_\_  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. Tat-58 प्रसुतीसाठी २५ कॉट्स  
Registration No. Maternity Cots

रजिस्ट्रेशन दिनांक इतर रुग्णांसाठी २५ कॉट्स  
Date of Registration Other Nursing Patients Cots

सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२४ पर्यंत कार्यवाहीत राहील.  
The Certificate shall be valid up to 31 March

ठिकाण Place :- सांगली  
सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- ०१/०५/२०२५



जिल्हा शल्य चिकित्सक, सांगली  
Dr. Vilramasheh Mahusheh Kadam  
Local Supervisory Authority, Sangli

Regd No. - 80422

District Civil Surgeon, Sangli

महाराष्ट्र



शासन

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले  
(सुधारित आवृत्ती २००५) क्रमांक No. 1178

रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay Nursing Homes  
Registration Act, 1949 Amendment Act 2005, (Under Rule 5)

CERTIFICATE

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये श्री./श्रीमती डॉ. शाहीवाहन विश्वनाथ  
पट्टणशेट्टी यांचे मयुरेश्वर हॉस्पिटल

खालील पत्त्यावर विजापुर रोड, जत

नर्सिंग होम/भॅटीनिटी होम म्हणून मान्यता देण्यात येत आहे.

This is to certify that Shri / Shrimati \_\_\_\_\_  
has been registered under the \_\_\_\_\_  
Bombay Nursing Homes Registration Act, 1949 in respect of \_\_\_\_\_  
situated at \_\_\_\_\_  
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. J-606  
Registration No.

प्रसुतीसाठी — कॉट्स  
Maternity Cots

रजिस्ट्रेशन दिनांक  
Date of Registration

इतर रुग्णांसाठी 50 कॉट्स  
Other Nursing Patients Cots

हा सर्टिफिकेट दिनांक ३१ मार्च २०२७ पर्यंत कार्यवाहीत राहील.  
This certificate shall be valid up to 31 March

ठिकाण :- सांगली

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :- ०१/०४/२०२४



जिल्हा शल्य चिकित्सक, सांगली

तथा  
Local Supervisory Authority, Sangli.  
Dr. Vikramasinh Bhahusaheb Kadam  
M.S. (Gen. Surgeon)

Regd. No. - 80422  
District Civil Surgeon, Sangli



**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY  
(MSMHA)**

**Form-F**

[See rule 66]

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL  
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - **Dr. Chandrashekhar Halingale**

Address: - **Nirmal Neuropsychiatry Center, Station road, Near Pujari Hospital,  
Miraj, Dist. Sangli**

No of beds: - **20**

Permanent Registration Certificate No. **87/2024**


The Permanent registration certificate No. **87/2024** issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 11/01/2024

**Dr. Swapnil Lale  
Chief Executive Officer  
State Mental Health  
Authority, Mumbai**

Seal of the Registration Authority

  
Registration Authority  
(MSMHA)

Form - C

MHCA 2017- [See rule 11(3)]

**CERTIFICATE OF PROVISIONAL REGISTRATION**

The state authority after considering the application dated 01/06/2023 submitted by **NIMHS Hospital Private Limited** under section 65 (2) and section 66 (10) of the Mental Health Care act 2017, hereby accords provisional registration to the applicant mental health establishment in terms of section 66(4) as per the details given here under

Name: - **Dr. Chandrashekhar A. Halingale**

Address: - **Station Road near Railway Station, Miraj, Sangli**

Number of beds: - **30**


The provisional registration certificate issued is subject to the condition laid down in the Mental Health Care act 2017, and the rules and regulation made their under and shall be valid for a period of twelve months from the date of its issue and can be renewed

Place: -Mumbai

Date: -07/06/2023

**GOVERNMENT OF  
MAHARASHTRA**

**Dr. Swapnil Lale**  
Chief Executive Officer  
State Mental Health  
Authority, Mumbai  
Seal of the Registration Authority

  
Registration Authority

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel:0231-2652952  
0231-2660448  
Fax:0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectorate Office,  
Kolhapur - 416 002

ORANGE/S.S.I

Date:09/01/2024

No:-Format1.0/RO/UANNo.0000187519/CO/2401001070

To,  
M/s. Balgopal Childrens Hospital  
Valsang road, Jath Tal.  
Dist. Sangli - 416 412.  
Email:[drvidyadhar.patil@gmail.com](mailto:drvidyadhar.patil@gmail.com)  
Contact No.:9168189662



*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P& CP)Act, 1974, Air (P& CP)Act, 1981and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000187519& BMW Auth No.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 21/11/2023

After examining the proposal, The Maharashtra Pollution Control Board here by grant1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Tran boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.10.2026.
2. The capital investment of the HCF is ₹89.15Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area:-Plot Area 456.00M<sup>2</sup>with Built-up area 415.43 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds:50Nos.(As per BNH certificateno.J510validupto31-03-2025)
    - i. Other Beds:50Nos
5. **Conditions under the Water(P&CP)Act, 1974:-**
  1. Quantityoftotalwaterconsumptionshallnotexceed4.5M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. Youshallprovidewatermeteratwaterintakepoint&atsewage/Effluentdisposal point and shall maintain monthly records thereof.
6. **Conditions under the Air(P&CP)Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**Condition under Hazardous and Other Wastes (Management, Handling &7. Transboundary Movement) Rules,2016for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

**8. Conditions under Solid Waste Management rules 2016**


1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Hospital Authority shall provide a scientific close arrangement for the storage of Bio medical waste with a Biohazard symbol and also Non-hazardous waste, and products and shall strictly not carry out unconsented activity/products within the premises.
18. The Combined Consent to Operate and Bio-medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees/deemed fee on top priority after communication from the MPCB Office.
19. Hospital Authority shall operate the Effluent /Sewage Treatment Plant continuously and scientifically so as to achieve the standards. Also, to maintain the record regarding the same.
20. Hospital authority shall scientifically store the Bio medical waste in a colour coded bags and in isolated / separate close arrangement with Bio Hazard symbol at the entrance. Also, to maintain record regarding daily disposal of Bio medical waste to the concerned Common Bio medical waste, Treatment, Storage and Disposal Facility and also to submit Bio medical waste Annual report without fail.



Signed by: **Shri. Navanath Sambhaji Awatade**  
 Sub Regional Officer  
 For and on behalf of,  
**Maharashtra Pollution Control Board**  
 srosangli@mpcb.gov.in  
 2024-01-09 11:03:02 IST

**Received Consent/Authorization fee of-**

Sr.No	Amount(Rs.)	Transaction/DR. No.	Date	Transaction Type
1	25000.00	TXN2311002841	21/11/2023	Online Payment
2	8411.00	TXN2401001328	06/01/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur for information.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/CEIC-for record & website updating purpose.

**Condition under Water(P&CP),1974Act:(ReferConditionNo.5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity(CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	4.50
3.	Processing where by water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	3.5	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable.

## C. You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD(3days27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

## Annexure-II

### **Terms&conditionsforIncinerator(s)andD.G.Set(s)underAir(P&CP)Act,1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack(s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

## SCHEDULE-I

### **Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	10.00	Red coloured non-chlorinated plastic bags or containers.	Biomedical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	1.00	Puncture proof, Leak proof, tamper proof container.	Biomedical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Metallic body implants	0.00		

### SCHEDULE-II

#### Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical wastetreatmentandDisposalfacilitySuryaCenterTreatmentFacilityPvtLtd, Sangli and maintain records thereof for 5 years.
2. You shall establish barcode for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016

4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal(<https://www.ecmpcb.in/>).

### SCHEDULE-III

#### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid up to the validity of this CCA + 4monthsadditional.SubmitafreshBank Guarantee for the newly added Activity/Condition to be Complied mentioned in the above table valid up to the validity of this CCA + 4 months additional.**

#### SCHEDULE-IV

#### **General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. bed is posed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "CytotoxicWaste" with symbol on waste containers/bags and shall handover to BMWCTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [ps0@mpcb.gov.in](mailto:ps0@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

ORANGE/S.S.I

Date: 02/03/2023

No:- Format1.0/PSO/UAN No.0000151477/CE/2303000127

To,  
Shri Umajirao Sanamadikar Medical Foundation,  
Kamal Orthopedic Center, Jath  
C/O. Gut No. 523,  
Satara Road, Nigadi Corner, Jath,  
Tal: Jath,  
Dist.: Sangli - 416404.  
Email: [kocjath@gmail.com](mailto:kocjath@gmail.com)  
Contact No.:9822338014



*Grant of Consent to Establish & 1st Operate under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:
1. Your Consent to Establish application received to MPCB, HQ, Sion, Mumbai on 27.01.2023.
  2. This office email dated 19.01.2023.
  3. Information uploaded by you on 25.01.2023 & 27.01.2023.
  4. Your application for Combine Consent and Bio-Medical Waste Authorization dated 26/10/2022
  5. SCN for refusal of application issued on 30.01.2023.
  6. Information uploaded by you on 03.02.2023.
  7. Minutes of Personal Hearing dated 13.02.2023.
  8. Required information uploaded by you on 23.02.2023 & 24.02.2023.
  9. Additional Consent & Penal fees submitted by you on 07.04.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Trans boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **20-07-2022 To 20-07-2027**
2. The capital investment of the HCF is **₹185.00 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 999.00 M<sup>2</sup> with Built-up area 130.00 M<sup>2</sup>.

4. **Activities Included**

a. Total Number of Beds: 100 Nos. (As per BNH certificate no. J-01 valid up to 31-03-2023)

I. General Beds: 83 Nos.

II. ICU/ICU Beds: 15 Nos.

III. Operation Theatre: 2 Nos.

IV. Maternity Beds: 0 Nos.

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 25.00 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		Biological sludge of STP	20	Kg/Day	Gardening & manure.

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF M/s Surya Central treatment Facility, Sangli Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. Penal fees for delay in submission of application submitted by of Rs. 15,165/- has been received by Board.
18. You shall submit Bank Guarantee of Rs. 1,50,000/- towards compliance of condition mentioned at Schedule - III to Regional Officer, Pune within 15 days.
19. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Pune for verification purpose.



e26e3042  
01d29f78  
dbdc963f  
69991bc5  
0cfc339f  
edc5011f  
e8545568  
006181bb

Signed by: **Dr. J.B.Sangewar**  
Principal Scientific Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
pso@mpcb.gov.in  
2023-03-02 12:34:02 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2210002665	15/07/2022	Online Payment
2	15000.00	TXN2113000216	01/12/2022	Online Payment
3	15165.00	TXN2213000199	04/01/2023	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I  
- - They are directed to ensure the compliance of the consent conditions.  
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	23.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	18	As per clause 'C'	100% Recycle and reuse for gardening, flushing and cleaning purpose.
2	Trade effluent	01	As per clause 'C'	100% Recycle

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		<i>Limiting Concentration in mg/except for pH</i>
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	DG set (30 KVA)	Diesel	3.00 Ltr/Hr	10.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	75.00	Yellow colored non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	90.00		
		d) Expired or Discarded Medicines	5.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00	Yellow colored non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	15.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	150.00	Red colored non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
3	White (Translucent)	Waste sharps including Metals	25.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue colored marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Surya Central treatment Facility For Bio Medical West, Miraj
		b) Metallic body implants	30.00		

**Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **M/s Surya Central treatment Facility for Bio Medical West, Miraj** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<i>Sr.No</i>	<i>Activity / Condition to be Complied</i>	<i>Compliance Timeline (Months)</i>	<i>Bank Guarantee Amount</i>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Six	25,000.00
2	To install adequate capacity of Sewage / Effluent Treatment Plant to treat the sewage/ effluent generated from Hospital.	Six	50,000.00
<b>Total</b>			<b>1,50,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**

**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radioactive material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---



# MAHARASHTRAPOLLUTIONCONTROLBOARD

Tel:0231-2652952  
0231-2660448  
Fax:0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectarate Office,  
Kolhapur - 416 002

ORANGE/

Date: 20/07/2023

No:-Format1.0/RO/UANNo.0000171710/CO/2307001301

To,  
M/s. Modi Surgical and Maternity Hospital  
C.S.NO.1944, A/p. Jath,  
Tal- Jath, Dist- Sangli -416404  
Email: [rohanmodi7000@gmail.com](mailto:rohanmodi7000@gmail.com)  
Contact No.: 9834800364



*Combined Consent to 1st Operate and Bio Medical Waste Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

**Ref:** Your application for Combine Consent to Establish and 1<sup>st</sup> Operate and Bio- Medical Waste Authorization dated 07/06/2023.

After examining the proposal, The Maharashtra Pollution Control Board here by grant 1st operate Combined Consent and BMW Authorization to HCF under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Tran boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. Grant of Combined Consent to Establish and 1<sup>st</sup> Operate and Biomedical Waste Authorization for the period up to 31.05.2026.
2. The capital investment of the HCF is ₹53.99 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area:-Plot Area 419.00M<sup>2</sup> with Built-up area 350.00M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds: 50 Nos. (As per BNH certificate no. jath 58 valid up to 31-03-2025)
    - i. General Beds: 25 Nos
    - ii. Maternity Beds: 25 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 5 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air(P&CP)Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWT SDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Surya Central Treatment Facility, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPC Bas detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

**Conditions under Water(P&CP), 1974Act:(ReferConditionNo.5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity(CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	3.00
3.	Processing where by water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	2.5	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	1.5	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..

## C. You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr.No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD(3days27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion / Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

## Annexure-II

### **Terms&conditionsforIncinerator(s)andD.G.Set(s)underAir(P&CP)Act,1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack(s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources with in the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

## SCHEDULE-I

### **Authorization for Management of Bio-Medical Waste(Category and Quantity)**

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b)Animal Anatomical Waste	0.00		
		c)Soiled Waste	2.00		
		d) Expired or Discarded Medicines	2.00		
		e)Chemical Waste	2.00		
		f)Chemical Liquid Waste	5.00	Separate collection system leading to effluent treatment system.	
		g)Discarded linen, mattresses, beddings contaminated with blood or body fluid.	1.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h)Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
4	Blue	a)Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b)Metallic body implants	0.00		

### SCHEDULE-II

#### **Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Central Treatment Facility, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.

6. You shall ensure use of colour coded bin sand bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

### **SCHEDULE-III**

#### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr. No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**

#### SCHEDULE-IV

#### **General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.

8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. bed is posed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "CytotoxicWaste" with symbol on waste containers/bags and shall handover to BMWCTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0233 - 2672032  
Fax: 0233- 2323732  
Website: <http://mpcb.gov.in>  
Email: [srosangli@mpcb.gov.in](mailto:srosangli@mpcb.gov.in)



300/2 , Udyog Bhavan , Near  
Government Rest House ,  
Vishrambaug , Sangli - 416  
416

ORANGE/S.S.I

Date: 13/03/2024

No:- Format1.0/SRO/UAN No.0000173554/CO/2403001239

To,  
M/s. Nirmal Hospital,  
Station road, Near Pujari Hospital,  
Miraj city, Dist. Sangli - 416 410  
Email:[nirmalhospital12345@gmail.com](mailto:nirmalhospital12345@gmail.com)  
Contact No.:9011800419



Your Service is Our Duty

*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000173554& BMW Auth No.  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/12/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.05.2025.
2. The capital investment of the HCF is ₹61.43 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 259.00 M<sup>2</sup> with Built-up area 200.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **20 Nos.**
    - I. General Beds : **15 Nos**
    - II. Operation Theatre : **2 Nos**
    - III. Other Beds : **3 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 7 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Combined Consent to Operate and Bio medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees / deemed fee on top priority after communication from the MPCB Office.
18. Hospital Authority shall operate the Effluent / Sewage Treatment Plant continuously and scientifically so as to achieve the standards. Also, to maintain the record regarding the same.
19. Hospital authority shall scientifically store the Bio medical waste in a colour coded bags and in isolated / separate close arrangement with Bio Hazard symbol at the entrance. Also, to maintain record regarding daily disposal of Biomedical waste to the concerned Common Bio medical waste, Treatment, Storage and Disposal Facility and also to submit Biomedical waste Annual report without fail.



*Mutade*

3161b5c1  
0af32f8c  
78ce7122  
d91115bf  
7d6ba538  
8924f063  
6782f086  
504abf66

Signed by: Shri. Navanath Sambhaji Awatade  
Sub Regional Officer  
For and on behalf of  
**Maharashtra Pollution Control Board**  
srosangli@mpcb.gov.in  
2024-03-13 18:19:02 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2307004353	31/07/2023	Online Payment
2	19206.00	TXN2403002670	13/03/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur for information.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	6.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	22.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	27.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Metallic body implants	0.00		

#### SCHEDULE-II

#### **Responsibilities of CBWTF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Center Treatment Facility Pvt Ltd, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	7.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	5.00	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable.

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I**

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

### **SCHEDULE-III**

#### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

#### SCHEDULE-IV

#### **General Conditions**

**The following general conditions shall apply:-**


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---



महाराष्ट्र MAHARASHTRA

2024

27AB 214275

मुद्रांक किंमत रुपये १००/- ए.मु. किंमत रुपये १००/-  
जत विक्री नंबर २०६५ तारीख ०७/०७/२०२५  
मुद्रांक विकत घेणाऱ्याचे नाव चैअरमन



श्री उमाजीराव सनवडीकर मेडिकल फौंडेशन, जथ.  
रा. १०० की ११४५१५  
कारण १००६०१५. गि. १२१८१८. जि. ४०६१५५  
४१२०

परवानाधारक मुद्रांक विक्रेत्याचे नाव व राही  
श्री. श्रीकृष्ण प्रकाशराव पाटील  
मुद्रांक विक्रीत लक्ष सहस्रसह आकार  
घरभागा क्रमांक २४०३००४  
सी.नं-२८८५०३-१९२५

या कागदावरील जवानी मुद्रांक खरोटी केलावयाची त्याचा जरनासही मुद्रांक खरोटी केल्यासून दुसऱ्याकडे वापरणी वधनाकारक आहे



15 JUL 2025

**Memorandum of Understanding  
Between  
Shri. Umajirao Sanamdikar Medical Foundation,  
Kamal Institute of Nursing Education, Jath.  
&  
Mayureshwar Hospital, Jath**

**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Mayureshwar Hospital, Jath Dist- Sangli** have agreed to utilize the clinical facilities as per the curriculum. The both parties commencing form July 2025 & permitted upto July 2040 for nursing curriculum clinical posting.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.

Date: 14/07/2025.

<p>Mr. Bharat B Sabale Chairman Shri. Umajirao Sanamadikar Medical Foundation, Jath, Dist- Sangli</p>	<p>Dr. Shaliwahan V Pattanshetti Mayureshwar Hospital, Jath Tal- Jath Dist Sangli</p>
---	---

DR. SHALIWAHAN PATTANSHETTI  
D. D. BELDINE  
REG NO 95127 MMC  
MAYURESHWAR HOSPITAL  
V. K. PATIL ROAD, JATH, DIST SANGLI

**15 JUL 2025**

**BEFORE ME**

**Adv. Sajid B. Soudagar**  
Advocate and Notary Govt. of India  
R. B. Patil Road, Makandar Galli,  
Jath, Tal-Jath, Dist-Sangli  
Reg.No.29894, Mo.- 9421224523

**NOTARIAL REGISTER**

Vol.No...1.....Page No...83  
Sr.No...761....Date...15/7/2025



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel:0231-2652952  
0231-2660448  
Fax:0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectarate Office,  
Kolhapur - 416 002

ORANGE/S.S.I  
No:-Format1.0/RO/UANNo.0000226613/CO/2503000533

Date:06/03/2025

To,  
M/s MAYURESHWAR HOSPITAL,  
400/6,Vijayapura Road, Jath, Ta Jath, Dist Sangli.

Email:[drsp2007@yahoo.co.in](mailto:drsp2007@yahoo.co.in)  
Contact No.:9822374909



*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P& CP)Act, 1974, Air (P& CP)Act, 1981andBio-MedicalWaste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

**Ref:**Your application for Combine Consent and Bio-Medical Waste Authorization dated 22/11/2024

After examining the proposal, The Maharashtra Pollution Control Board here by grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Trans boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From**01-01-2025To31-12-2028**
2. HCF Area:- Plot Area**70.00M<sup>2</sup>**withBuilt-uparea**30.00M<sup>2</sup>**.
3. **Activities Included**
  - a. Total Number of Beds:**50Nos.**(As per BNH certificate no.J606 valid up to 31-03-2027)
    - i. General Beds:**50Nos**
4. **Conditions under the Water(P&CP)Act,1974:-**
  1. Quantity of total water consumption shall not exceed 10 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**5. Conditions under the Air(P&CP)Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWT SDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<i>Sr No</i>	<i>Type of Waste</i>	<i>HW Category no.</i>	<i>Quantity</i>	<i>UOM</i>	<i>Disposal</i>
1		0	As per Actual	--NA--	NA

**7. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**8. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPC Bas detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
9. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



**Signed by: Shri. J. S. Hajare**  
 Regional Officer  
 For and on behalf of,  
**Maharashtra Pollution Control Board**  
 rokolhapur@mpcb.gov.in  
 2025-03-06 15:37:23 IST

**Received Consent/Authorization fee of-**

Sr.No	Amount(Rs.)	Transaction/DR. No.	Date	Transaction Type
1	10000.00	TXN2411002786	22/11/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Sangli
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/CEIC-for record & website update ing purpose.

**Conditions under Water (P&CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	10.00
3.	Processing where by water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Sluent Generation, Treatment and Disposal:-

<i>Sr.No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	8	As per clause's'	100% Recycle
2	Trade sluent	0	As per clause's'	100% Recycle

## C. You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr.No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		<i>Limiting Concentration in mg/except for pH</i>
1	pH	6.5-9.0
2	Oil Grease	10
3	BOD(3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

## H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

## Annexure-II

### **Terms&conditionsforIncinerator(s)andD.G.Set(s)underAir(P&CP)Act,1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack(s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of Biomedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	40.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b)Animal Anatomical Waste	0.00		
		c)Soiled Waste	55.00		
		d) Expired or Discarded Medicines	30.00		
		e)Chemical Waste	25.00	Separate collection system leading to effluent treatment system.	
		f)Chemical Liquid Waste	0.00		
		g)Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h)Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	15.00	Red colored non chlorinated plastic bags or containers.	Biomedical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	10.00	Puncture proof, Leak proof, tamper proof container.	Biomedical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a)Glassware	10.00	Puncture proof, Leak proof with Blue colored marking.	Biomedical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b)Metallic body implants	0.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical wastetreatmentandDisposalfacilitySuryaCenterTreatmentFacilityPvtLtd, Sangli and maintain records thereof for 5 years.
2. You shall establish barcode for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall notstoreBioMedicalwastebeyond48hoursfromthegeneration.
5. You shall use only non-chlorinated plastic colored bags.
6. YoushallensureuseofcolourcodedbinsandbagsforsegregationofBMWasrequired under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration oras amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers &staff at the time of induction and at least once in a year and immunize all involved in managementofBioMedicalWasteforprotectionagainstdiseases,includingHepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading theme to MPCB Portal(<https://www.ecmpcb.in/>).

**SCHEDULE-III****Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr. No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
<b>Total</b>			<b>1,25,000.00</b>

**Note:** You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid up to the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity/Condition to be Complied mentioned in the above table valid up to the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favor of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

**General Conditions**

**The following general conditions shall apply:-**


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labeled specifically as "CytotoxicWaste" with symbol on waste containers/bags and shall handover to BMWCTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---






महाराष्ट्र शासन

उपसंचालक, आरोग्य सेवा, कोल्हापूर मंडळ कोल्हापूर.

DEPUTY DIRECTOR OF HEALTH SERVICES KOLHAPUR CIRCLE KOLHAPUR



उपसंचालक दूरध्वनी क्र (वे)  
कार्यालय दूरध्वनी क्र. -  
कार्यालय फॅक्स क्र.-

(0231) 2659901  
(0231) 2667565  
2660149/2667557

उपसंचालक आरोग्य सेवा, कोल्हापूर मंडळ कोल्हापूर.  
मध्यवर्ती प्रशासकीय इमारत, कसबा बावडा रोड,  
डी.एस.पी.ऑफीस जवळ, कोल्हापूर - ४१६ ००३.  
ई-मेल ddhs\_kop@yahoo.co.in, ddhskol@rediffmail.com

आरोग्य सेवा

जा.क्र.उसंआसेको/आस्था/कक्ष२ब/खा.न.काँ.प्रात्य.अनुभव बाबत/  
दिनांक. 30 /१२/२०२५.

/२०२५

27763-64

प्रति,

मा.सहसंचालक, आरोग्य सेवा,  
(राज्यस्तर) महाराष्ट्र राज्य, मुंबई.

विषय - खाजगी परिचर्या संस्थेतील विद्यार्थ्यांना प्रात्यक्षिक अनुभवासाठी शासकीय आरोग्य संस्थेत प्रात्यक्षिक अनुभव मिळणेबाबत.....

- संदर्भ - १) मा.शासन निर्णय क्र.एनयुआर-२०२२/प्र.क्र.३३६/२२/शिक्षण-१, दिनांक.०९.०२.२०२३.  
२) जिल्हा शल्यचिकीत्सक, सांगली यांचे पत्र क्र.जा.क्र.जिशचि/परवानगी/२२१८-१९/२५. दिनांक.३०.०५.२०२५.  
३) जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, सांगली यांचे पत्र जा.क्र.आरोग्य/जिप्रके/खा.नर्सिंग/अनु.परवानगी/१४९/२०२५. दिनांक.०८.०२.२०२५.  
४) या कार्यालयाचे पत्र क्र.जा.क्र.उसंआसेको/आस्था/कक्ष२ब/खा.न.काँ.प्रात्य.अनुभव बाबत/१४१५५-५८/२०२५ दि.२०.०६.२०२५.

उपरोक्त विषयानुसार कळविण्यात येते की, अध्यक्ष, श्री.उमाजीराव सनमडीकर, मेडीकल फॉउंडेशन जत, संचलित प्राचार्य, कमल इन्स्टिटयुट ऑफ नर्सिंग एज्युकेशन जत ता.जत जि.सांगली या खाजगी परिचर्या संस्थेतील B.Sc. नर्सिंग कोर्सच्या विद्यार्थ्यांना प्रात्यक्षिक अनुभवासाठी ग्रामीण रुग्णालय, जत व प्राथमिक आरोग्य केंद्र, वलसंग जि.सांगली या शासकीय आरोग्य संस्थेतील खाटा वापरण्यास परवानगी मिळणेबाबतचा प्रस्ताव संदर्भ. क्र.२ व ३ नुसार या कार्यालयास प्राप्त झाला असता सदरचा प्रस्ताव संदर्भ क्र.४ अन्वये आपणांस सादर करण्यात आलेला आहे.

परंतु सादर केलेल्या प्रस्तावामध्ये नजर चुकीने प्राचार्य, हुतात्मा इन्स्टिटयुट ऑफ नर्सिंग ता.वाळवा जि.सांगली असा उल्लेख झालेला आहे. त्याऐवजी अध्यक्ष, श्री.उमाजीराव सनमडीकर, मेडीकल फॉउंडेशन जत, संचलित प्राचार्य, कमल इन्स्टिटयुट ऑफ नर्सिंग एज्युकेशन जत ता.जत जि.सांगली या नावाने प्रस्तावास मंजूरी मिळावी हि विनंती.

तसेच संदर्भ क्र. ४ मध्ये प्रस्तावासोबत १०० रु स्टॅम्प वरील हमीपत्र मुळप्रत जोडण्यात आलेले नसल्याने ती या पत्रासोबत जोडून सादर करित आहे.

तरी संबधीत खाजगी संस्थेस प्रात्यक्षिक अनुभवासाठी परवानगी देणेस विनंती आहे.

लिपिके 5/11/2026  
आरोग्य सेवा आयुक्तालय,  
मुंबई - ४००००९.

डाॅ.दिलीप माने  
उपसंचालक, आरोग्य सेवा,  
कोल्हापूर मंडळ, कोल्हापूर.

प्रत- अध्यक्ष, श्री.उमाजीराव सनमडीकर, मेडीकल फॉउंडेशन जत, संचलित प्राचार्य, कमल इन्स्टिटयुट ऑफ नर्सिंग एज्युकेशन जत ता.जत जि.सांगली

 <p style="text-align: center;"><b>महाराष्ट्र शासन</b></p> <p style="text-align: center;"><b>उपसंचालक, आरोग्य सेवा, कोल्हापूर मंडळ कोल्हापूर.</b></p> <p style="text-align: center;">DEPUTY DIRECTOR OF HEALTH SERVICES KOLHAPUR CIRCLE KOLHAPUR</p>  <p style="text-align: right;">स्वातंत्र्याचा अमृत महात्म्य</p>		
उपसंचालक दूरध्वनी क्र (वै) कार्यालय दूरध्वनी क्र. - कार्यालय फॅक्स क्र.-	(0231) 2659901 (0231) 2667565 2660149/2667557	उपसंचालक आरोग्य सेवा, कोल्हापूर मंडळ कोल्हापूर. मध्यवर्ती प्रशासकीय इमारत, कसबा बावडा रोड, डी.एस.पी.ऑफीस जवळ, कोल्हापूर - ४१६ ००३. ई-मेल ddhs_kop@yahoo.co.in, ddhskol@rediffmail.com
आरोग्य सेवा	जा.क्र.उसंआसेको/आस्था/कक्ष२ब/खा.न.काँ.प्रात्य.अनुभव बाबत/ दिनांक. ३०/१२/२०२५.	/२०२५ २७७६३-६५

प्रति,

मा.सहसंचालक,आरोग्य सेवा,  
 (राज्यस्तर) महाराष्ट्र राज्य,मुंबई.

विषय - खाजगी परिचर्या संस्थेतील विद्यार्थ्यांना प्रात्यक्षिक अनुभवासाठी शासकिय आरोग्य संस्थेत प्रात्यक्षिक अनुभव मिळणेबाबत.....

- संदर्भ - १) मा.शासन निर्णय क्र.एनयुआर-२०२२/प्र.क्र.३३६/२२/शिक्षण-१, दिनांक.०९.०२.२०२३.  
 २) जिल्हा शल्यचिकीत्सक,सांगली यांचे पत्र क्र.जा.क्र.जिशाचि/परवानगी/२२१८-१९/२५. दिनांक.३०.०५.२०२५.  
 ३) जिल्हा आरोग्य अधिकारी,जिल्हा परिषद,सांगली यांचे पत्र जा.क्र.आरोग्य/जिप्रके/खा.नर्सिंग/अनु.परवानगी/१४९/२०२५. दिनांक.०८.०२.२०२५.  
 ४) या कार्यालयाचे पत्र क्र.जा.क्र.उसंआसेको/आस्था/कक्ष२ब/ख.न.काँ.प्रात्य.अनुभव बाबत/१४१५५-५८/२०२५ दि.२०.०६.२०२५.

उपरोक्त विषयानुसार कळविण्यात येते की, अध्यक्ष, श्री.उमाजीराव सनमडीकर,मेडीकल फॉउंडेशन जत,संचलित प्राचार्य, कमल इन्स्टिटयुट ऑफ नर्सिंग एज्युकेशन जत ता.जत जि.सांगली या खाजगी परिचर्या संस्थेतील B.Sc. नर्सिंग कोर्सच्या विद्यार्थ्यांना प्रात्यक्षिक अनुभवासाठी ग्रामीण रुग्णालय,जत व प्राथमिक आरोग्य केंद्र,वळसंग जि.सांगली या शासकिय आरोग्य संस्थेतील खाटा वापरण्यास परवानगी मिळणेबाबतचा प्रस्ताव संदर्भ. क्र.२ व ३ नुसार या कार्यालयास प्राप्त झाला असता सदरचा प्रस्ताव संदर्भ क्र.४ अन्वये आपणांस सादर करण्यात आलेला आहे.

परंतु सादर केलेल्या प्रस्तावामध्ये नजर चुकीने प्राचार्य,हुतात्मा इन्स्टिटयुट ऑफ नर्सिंग ता.वाळवा जि.सांगली असा उल्लेख झालेला आहे. त्याऐवजी अध्यक्ष, श्री.उमाजीराव सनमडीकर,मेडीकल फॉउंडेशन जत,संचलित प्राचार्य, कमल इन्स्टिटयुट ऑफ नर्सिंग एज्युकेशन जत ता.जत जि.सांगली या नावाने प्रस्तावास मंजूरी मिळावी हि विनंती.


तसेच संदर्भ क्र. ४ मध्ये प्रस्तावासोबत १०० रु स्टॅम्प वरील हमीपत्र मुळप्रत जोडण्यात आलेले नसल्याने ती या पत्रासोबत जोडून सादर करीत आहे.

तरी संबधीत खाजगी संस्थेस प्रात्यक्षिक अनुभवासाठी परवानगी देणेस विनंती आहे.

(डॉ.दिलीप माने)

उपसंचालक, आरोग्य सेवा,  
 कोल्हापूर मंडळ, कोल्हापूर.

प्रत-अध्यक्ष, श्री.उमाजीराव सनमडीकर,मेडीकल फॉउंडेशन जत,संचलित प्राचार्य, कमल इन्स्टिटयुट ऑफ नर्सिंग एज्युकेशन जत ता.जत जि.सांगली



महाराष्ट्र MAHARASHTRA

2024

27AB 214273


मुद्रांक किंमत रुपये 100/- ए.मु. किंमत रुपये 100/-

जत विक्री नंबर 2059 तारीख 9 जु 01 2025

मुद्रांक विक्रय घेणाऱ्याचे नांव चंअरमन

श्री उमाजीराव सनमडीकर मेडिकल कॉन्डिशन, जत.


कारकी - मुद्रांक विक्रय घेणाऱ्याचे नांव चंअरमन



परवानाधारक मुद्रांक विक्रेत्याचे नाव च राही

श्री गीवण संकरराव पाटील  
मुद्रांक विक्रेता जत जिल्हा जिल्हा आकार  
परवाना क्रमांक 2803008  
मो.नं-9229034924

हा कारणासाठी जतानी मुद्रांक खरेदी केल्याची त्याचा कारणासाठी मुद्रांक खरेदी केल्याकडून हमीच्यात तादारे वधमत्तक आहे



15 JUL 2025



**Memorandum of Understanding  
Between  
Shri. Umajirao Sanamdikar Medical Foundation,  
Kamal Institute of Nursing Education, Jath.  
&  
Modi Surgical & Maternity Hospital, Jath.**

**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli at Modi Surgical & Maternity Hospital, Jath. Dist- Sangli** have agreed to utilize the clinical facilities as per the curriculum. The both parties commencing form July 2025 & permitted upto July 2040 for nursing curriculum clinical posting.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.  
Date: 14/07/2025.


 Mr. Bharat B. Sabale Chairman Shri. Umajirao Sanamadikar Medical Foundation, Jath. Jath, Dist-Sangli	 Dr. Manohar Shivappa Modi Modi Surgical & Maternity Hospital, Jath. Tal- Jath Dist-Sangli
--	--


**L1 5 JUL 2025**


**NOTARIAL REGISTER**

Vol.No...1.....Page No...83  
Sr.No....762...Date...15/7/2025

**BEFORE ME**

  
**Adv. Sajid B. Soudagar**  
 Advocate and Notary Govt of India  
 R. B. Patil Road, Makandar Galli,  
 Jath, Tal-Jath, Dist-Sangli  
 Reg.No.29894. No.- 9421224523






महाराष्ट्र MAHARASHTRA

2024

27AB 214275


मुद्रांक किंमत रुपये १००/- ए.मु.किंमत रुपये १००/-  
जत विक्री नंबर २०६५ तारीख ०७/०७/२०२५  
मुद्रांक विक्री घेणाऱ्याचे नाव चैअरमन  
श्री उमाजीराव सनयडीकर मेडिकल फाउंडेशन, जथ,  
हालुका, जत, जि. सांगली.  
कारण १५६६५३. गि. १२१८१०. १६. वा. ०६१५५  
२८१२१

  
सत्यमेव जयते  
- 7 JUL 2025  
Sub Treasury Officer, Jath

परवानाधारक मुद्रांक विक्रेत्याचे नाव व राही

श्री श्रीकृष्ण विकारराव पाटील  
मुद्रांक विक्रीतून जत सहकारिता आकार  
परवाना क्रमांक २४०३००४  
सी.नं-२८८५०३/१९२५

मा कारणासाठी ज्यांनी मुद्रांक खरेदी केला/की त्यांचा जरूरतसाठी मुद्रांक खरेदी केला/सुद्धा दुसरीयत वापरणे घेवतातक आरे



15 JUL 2025



**Memorandum of Understanding**  
**Between**  
**Shri. Umajirao Sanamdikar Medical Foundation,**  
**Kamal Institute of Nursing Education, Jath.**  
**&**  
**Mayureshwar Hospital, Jath**

**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Mayureshwar Hospital, Jath Dist- Sangli** have agreed to utilize the clinical facilities as per the curriculum. The both parties commencing from July 2025 & permitted upto July 2040 for nursing curriculum clinical posting.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.


Signed with named.  
Date: 14/07/2025.

 Mr. Bharat B Sabale Chairman Shri. Umajirao Sanamadikar Medical Foundation, Jath. Tal- Jath, Dist- Sangli	 Dr. Shaliwahan V Pattanshetti Mayureshwar Hospital, Jath Tal- Jath Dist Sangli
---	---

DR. SHALIWAHAN PATTANSHETTI  
S.D. OFFICER  
REG NO-65127 MMC  
MAYURESHWAR HOSPITAL  
V. J. PATIL ROAD, JATH, DIST. SANGLI

15 JUL 2025

**BEFORE ME**



**NOTARIAL REGISTER**

Vol.No...1.....Page No...83

Sr.No.....761....Date...15/7/2025

**Adv. Sajid B. Soudagar**  
Advocate and Notary Govt of India  
R. B. Patil Road, Makandar Galli,  
Jath, Tal-Jath, Dist-Sangli  
Reg.No.29894. Mo.- 9421224523







**Memorandum of Understanding  
Between  
Shri. Umajirao Sanamdikar Medical Foundation,  
Kamal Institute of Nursing Education, Jath.  
&  
Shri. Krupa Maternity Hospital, Jath**

**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Shri. Krupa Maternity Hospital, Jath Dist- Sangli** have agreed to utilize the clinical facilities as per the curriculum. The both parties commencing form July 2025 & permitted upto July 2040 for nursing curriculum clinical posting.


Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.  
Date: 14/07/2025.


 <b>Mr. Bharat B Sabale</b> Chairman Shri. Umajirao Sanamdikar Medical Foundation, Jath.	 <b>Dr. Mrs. Veena S. Tangadi</b> B.B.S. D.G.O. Shri. Krupa Maternity Hospital JATH Dist Sangli 416 404.
---	--

11 5 JUL 2025

**NOTARIAL REGISTER**  
Vol.No..1.....Page No...23  
Sr.No...763....Date..15.7.2025

**BEFORE ME**  
  
**Adv. Sajid B. Soudagar**  
Advocate and Notary Govt. of India  
R. B. Patil Road, Makandar Galli,  
Jath, Tal-Jath, Dist-Sangli  
Reg.No.29894, Mo.- 9421224523






महाराष्ट्र MAHARASHTRA

2024

27AB 214272


मुद्रांक किंमत रुपये १००/- ए.मु. किंमत रुपये १००/-  
जत विक्री नंबर २०६५ तारीख १०/०७/२०२५  
मुद्रांक विक्रेता घेणाऱ्याचे नांव चेअरमन  
पुढील काळातील वाच्यता श्री उमाजीराव रामभाडीकर मेडिकल फौंडेशन, जत  
कारण सा. वृद्ध वारस. ना. १२८८०. १६. ०७/१५

  
- 7 JUL 2025  
Sub-Treasury Officer, Jath

परवानाधारक मुद्रांक विक्रेत्याचे नाव व राही

श्री. श्रीकृष्ण रावकरराव पाटील  
मुद्रांक विक्रेता जत तहसिल आकार  
परवाना क्रमांक २४०३६०४  
मो. नं-९८८९०३५९२५

या कागदावरील खालील मुद्रांक खरेदी केला आहे त्याचा मरणासाठी मुद्रांक खरेदी केल्यासून ६ महिन्यात वापरणे बंधनकारक आहे

  
NOTARY  
Adv.  
Sajid B. Soudagar  
R B Patil Road,  
Makarand Galli, Jath,  
Reg. No. 29894  
Exp. Dt. 01/01/2030  
OF INDIA



**Memorandum of Understanding  
Between  
Shri. Umajirao Sanamdikar Medical Foundation,  
Kamal Institute of Nursing Education, Jath.  
&  
Balagopal Pediatric Hospital, Jath.**

**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Balagopal Pediatric Hospital, Jath Dist- Sangli** have agreed to utilize the clinical facilities as per the curriculum. The both parties commencing from July 2025 & permitted upto July 2040 for nursing curriculum clinical posting.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.

Date: 14/07/2025.

<p>Mr. Bharat B Sabale <b>Chairman</b> Shri. Umajirao Sanamdikar Medical Foundation, Jath.</p>	<p>Dr. Vidyadhar R Patil Balagopal Pediatric Hospital, Jath Tal- Jath Dist- Sangli</p> <p><i>Vidyadhar R. Patil</i> MBBS, DCH. Reg. No. 2008/06/2648</p>
--	--

**15 JUL 2025**

**NOTARIAL REGISTER**

Vol.No.1.....Page No.83


Sr.No.757...Date.15/07/2025

**BEFORE ME**

*Soudagar Adv.*

**Adv. Sajid B. Soudagar**  
Advocate and Notary Govt of India  
R. B. Patil Road, Makandar Galli,  
Jath, Tal-Jath, Dist-Sangli  
Reg.No.29894, Mo.- 9421224523






महाराष्ट्र MAHARASHTRA

2024

27AB 214271

मुद्रांक किंमत रुपये १००/- ए.मु.निम्नत रुपये १००/-  
जल विक्री नंबर २०२५ तारीख १७/०७/२०२५  
मुद्रांक विकरा घेणाऱ्याचे नाव चेअरमन



श्री उमाजीराव सनमडीकर मेडिकल फौंडेशन, जठ.  
कारण

परवानाधारक मुद्रांक  
विक्रेत्याचे नाव व सही

श्री. श्रीकृष्ण शंकरराव पाटील  
मुद्रांक विक्रीला जल एकत्रित आवार  
परवाना क्रमांक: २४०३००४  
मि.नं-५८८९०३, १९२५

ना करणाऱ्यांनी मुद्रांक खरेदी केल्यास त्यांच्या इच्छेनुसार मुद्रांक खरेदी केल्यासून इमिग्रेशन दाखले वगैरे प्राप्त व्हावे



15 JUL 2025



**Memorandum of Understanding  
Between  
Shri. Umajirao Sanamdikar Medical Foundation,  
Kamal Institute of Nursing Education, Jath.  
&  
Nirmal Hospital and De Addiction Centre Miraj.**

**Subject: Regarding Training for Nursing Students.**

For the purpose of providing clinical experience to the Nursing students of **Kamal Institute of Nursing Education, Jath, Tal- Jath, Dist-Sangli** at **Nirmal Hospital and De Addiction Centre Miraj Dist- Sangli** have agreed to utilize the clinical facilities as per the curriculum. The both parties commencing from July 2025 & permitted upto July 2040 for nursing curriculum clinical posting.

Violation of rules regulation will disqualify the origination form utilization clinical facilities for students nursing training.

Signed with named.

Date: 14/07/2025.

<p>Mr. Bharat B Sabale Chairman Shri. Umajirao Sanamdikar Medical Foundation, Jath.</p>	<p>Mr. Chandrashekhar Halingale Nirmal Hospital and De Addiction Center, Miraj.</p>
---	---

15 JUL 2025

**NOTARIAL REGISTER**

Vol.No...1.....Page No....83

Sr.No...760....Date..15/07/2025

**BEFORE ME**

**Adv. Sajid B. Soudagar**  
Advocate and Notary Govt. of India  
R. B. Patil Road, Makandar Galli,  
Jath, Tal-Jath, Dist-Sangli  
Reg.No.29894. Mo.- 9421224523



# MAHARASHTRAPOLLUTIONCONTROLBOARD

Tel:0231-2652952  
0231-2660448  
Fax:0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectarate Office,  
Kolhapur - 416 002

ORANGE/

Date:10/10/2023

No:-Format1.0/RO/UANNo.0000179097/CO/2310000687

To,  
Shrikrupa Hospital,  
Near Kanchria Temple,  
Walsang road, Jath, Dist. Sangli.  
Email: [drveenatangadi@gmail.com](mailto:drveenatangadi@gmail.com)  
Contact No.:9404227090



*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P& CP)Act, 1974, Air (P& CP)Act, 1981andBio-MedicalWaste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000179097& BMW Auth No.  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 17/08/2023

After examining the proposal, The Maharashtra Pollution Control Board here by grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Tran boundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.07.2025.
2. The capital investment of the HCF is ₹120.60 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: -Plot Area 813.00M<sup>2</sup> with Built-up area 586.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds: **50 Nos.** (As per BNH certificate no.J59 valid up to 31-03-2024)
    - i. General Beds: **10 Nos.**
    - ii. Maternity Beds: **40 Nos.**
5. **Conditions under the Water(P&CP)Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 7 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
  3. You shall provide water meter at water intake point & at sewage /Effluent disposal point and shall maintain monthly records thereof.

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**Conditions under Hazardous and Other Wastes (Management, Handling &7. Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	0	As per Actual	Kg	MPCB Authorized party


**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **Surya Central Treatment Facility, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Up gradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
  11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
  12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
  13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
  14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Hospital authority shall obtain prior permission i.e. Combined Consent to Operate and Bio medical waste authorization from Maharashtra Pollution Control Board at least 60 days before validity of existing Consent to Operate.
18. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
19. The Hospital Authority shall provide a scientific close arrangement for storage of Bio medical waste with Biohazard symbol and also Non-hazardous waste, and products and shall strictly not carry out un consented activity/products within the premises.
20. The Combined Consent to Operate and Bio medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees/deemed fee on top priority after communication from the MPCB Office.



7da98b33  
83f17fe4  
ce2fc10e  
c9720db4  
2e6fd00d  
eae35b  
dd0507ba  
e3ad37f0

**Signed by: Shri. Navanath Sambhaji Awatade**  
Sub Regional Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
srosangli@mpcb.gov.in  
2023-10-10 16:21:07 IST

**Received Consent/Authorization fee of-**

Sr. No	Amount(Rs.)	Transaction/DR. No.	Date	Transaction Type
1	82500.00	TXN2308002827	17/08/2023	Online Payment
2	30682.00	TXN2310000472	04/10/2023	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur for information.  
- -They are directed to ensure the compliance of the consent conditions.  
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/CEIC-for record & website updating purpose.

**Conditions under Water (P&CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	7.00
3.	Processing where by water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing where by water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	5.0	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable

## C. You shall operate the combined wastewater treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

## Annexure-II

### **Terms & conditions for Incinerator(s) and D.G. Set(s) under Air(P&CP)Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack(s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of Mo EFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

## SCHEDULE-I

### **Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of Bio Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	1.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non-chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b) Metallic body implants	0.00		

## SCHEDULE-II

### Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Central Treatment Facility, Sangli** and maintain records thereof for 5 years.
2. You shall establish barcode for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.

6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic /Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal(<https://www.ecmpcb.in/>).

### **SCHEDULE-III**

#### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr. No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid up to the validity of this CCA + 4 months additional.**

#### SCHEDULE-IV

#### **General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forth with reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.

8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. bed is posed of scientifically so as not to cause any nuisance /pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended timeto time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhawe to the standards/ SOPs applicable and waste shall be labelled specifically as "CytotoxicWaste"withsymbolonwastecontainers/bagsandshallhandovertoBMWCTFs.
18. You shall obtain required permissions from competent authority for radioactive material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall prefer ably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of FactoryAct1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---